

## Safety Data Sheet acc. to OSHA HCS

Printing Date 03/16/2023

Revision Number 2

Revision Date 03/16/2023

### 1 Identification

- **Product identifier**
- **Trade name:** CS BITU-OX 400
- **Article number:** 14791SB
- **Relevant identified uses of the substance or mixture.** Industrial Use Only.
- **Application of the substance / the mixture** Cleaning agent/ Cleaner
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Royal Adhesives And Sealants, LLC  
2001 W. Washington Street  
South Bend IN 46628-2023  
Information Phone Number: 574-246-5000
- **Information department:** Global Regulatory Department.
- **Emergency telephone number:**  
ChemTrec: Day or Night within USA and Canada: 1-800-424-9300.  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product does not meet the criteria for classification as hazardous under the GHS and 29 CFR 1910.1200
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**
- |                 |   |                     |
|-----------------|---|---------------------|
| HEALTH          | 1 | Health = 1          |
| FIRE            | 1 | Fire = 1            |
| PHYSICAL HAZARD | 0 | Physical Hazard = 0 |
- **Other hazards**
  - **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture

(Contd. on page 2)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 03/16/2023

Revision Number 2

Revision Date 03/16/2023

Trade name: CS BITU-OX 400

(Contd. of page 1)

**Hazardous components:**

69227-22-1 alcohols, C10-C12, ethoxylated, propoxylated

0-≤2.5%

## 4 First-aid measures

**Description of first aid measures**

- **After inhalation:** Overexposure, remove to fresh air and seek medical attention.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.
- **After swallowing:** Seek medical treatment.
- **Information for doctor:**  
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**  
Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
- **Protective equipment:** Protective clothing and respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Avoid contact with skin and eyes.  
Open and handle receptacle with care.  
Prevent formation of aerosols.

(Contd. on page 3)

USA

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 03/16/2023

Revision Number 2

Revision Date 03/16/2023

Trade name: CS BITU-OX 400

(Contd. of page 2)

- **Information about protection against explosions and fires:** Keep container closed when not in use.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location away from direct heat.
- **Information about storage in one common storage facility:**  
Store away from oxidizing agents.  
Do not store together with acids.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## \* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment (see listings below)**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**  
Nitrile rubber, NBR  
Chloroprene rubber, CR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses with side shields.
- **Body protection:** Protective work clothing

## \* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
- **Form:** Liquid
- **Color:** Not determined.
- **Odor:** Characteristic
- **Odor threshold:** Not Available.

(Contd. on page 4)

# Safety Data Sheet

*acc. to OSHA HCS*

Printing Date 03/16/2023

Revision Number 2

Revision Date 03/16/2023

Trade name: CS BITU-OX 400

(Contd. of page 3)

· <b>pH-value:</b>	Not Available
· <b>Change in condition</b>	
<b>Melting point:</b>	does not apply
<b>Boiling point:</b>	Not Available
· <b>Flash point:</b>	Not available
· <b>Flammability (solid, gaseous):</b>	Not Applicable.
· <b>Decomposition temperature:</b>	Not Available.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Flammable limits:</b>	
<b>Lower:</b>	Not Available
<b>Upper:</b>	Not Available
· <b>Vapor pressure:</b>	Not Available
· <b>Specific gravity at 20 °C (68 °F):</b>	0.898 g/cm <sup>3</sup> (7.49381 lbs/gal)
· <b>Relative density</b>	Not Available.
· <b>Vapor density</b>	Not Available.
· <b>Evaporation rate</b>	Not Available.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not Available
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not Available
<b>Kinematic:</b>	Not Available
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	Not available
<b>Solids content:</b>	0.0 %
· <b>Other information</b>	Pounds Per Gallon: 7.49 Lbs VOC/Gallon [less water. less exempts] 4.49 Grams VOC/Liter [less water. less exempts] 538.71

## \* 10 Stability and reactivity

- **Reactivity** Not reactive as supplied
- **Chemical stability** Stable under recommended storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**  
Strong oxidizers, acids, and bases.  
Reacts with alkali (lyes).
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

USA

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 03/16/2023

Revision Number 2

Revision Date 03/16/2023

Trade name: CS BITU-OX 400

(Contd. of page 4)

## 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **Primary irritant effect:**

- **on the skin:** Based on the available data, the classification criteria are not met.

- **on the eye:** Based on the available data, the classification criteria are not met.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability:** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential:** No further relevant information available.

- **Mobility in soil:** No further relevant information available.

- **Additional ecological information:**

- **General notes:** At present there are no ecotoxicological assessments.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects:** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:** Comply with current regulations.

- **Uncleaned packagings:**

- **Recommendation:** Comply with current regulations.

## 14 Transport information

- **UN-Number**

- **DOT, ADN, IMDG, IATA**

not regulated

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 03/16/2023

Revision Number 2

Revision Date 03/16/2023

Trade name: CS BITU-OX 400

(Contd. of page 5)

- |  |                        |
|--|------------------------|
| <b>· UN proper shipping name</b>   |                        |
| <b>· DOT, ADN, IMDG, IATA</b>  | <i>not regulated</i>   |
| <b>· Transport hazard class(es)</b>  |                        |
| <b>· DOT, ADN, IMDG, IATA</b>  |                        |
| <b>· Class</b>   | <i>not regulated</i>   |
| <b>· Packing group</b>   |                        |
| <b>· DOT, IMDG, IATA</b>   | <i>not regulated</i>   |
| <b>· Environmental hazards:</b>  | <i>Not applicable.</i> |
| <b>· Special precautions for user</b>  | <i>Not applicable.</i> |
| <b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | <i>Not applicable.</i> |
| <b>· UN "Model Regulation":</b>  | <i>not regulated</i>   |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

<b>· Section 355 (extremely hazardous substances):</b>
--

<i>None of the ingredients is listed.</i>
---

<b>· Section 313 (Specific toxic chemical listings):</b>
--

<i>None of the ingredients is listed.</i>
---

<b>· TSCA (Toxic Substances Control Act):</b>
---

<i>All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.</i>
---

<b>· Hazardous Air Pollutants</b>
-----------------------------------

<i>None of the ingredients is listed.</i>
---

<b>· Proposition 65</b>
-------------------------

*Please contact H.B. Fuller for more information regarding Proposition 65 on this product:  
reg.request@hbfuller.com .*

<b>· (DSL) Canada Domestic Substance List</b>
---

*All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.*

<b>· Cancerogenity categories</b>
-----------------------------------

<b>· EPA (Environmental Protection Agency)</b>
--

<i>None of the ingredients is listed.</i>
---

<b>· TLV (Threshold Limit Value)</b>
--------------------------------------

<i>None of the ingredients listed.</i>
--

<b>· MAK (German Maximum Workplace Concentration)</b>
---

<i>None of the ingredients is listed.</i>
---

<b>· NIOSH-Ca (National Institute for Occupational Safety and Health)</b>
---

<i>None of the ingredients is listed.</i>
---

<b>· National regulations:</b>
--------------------------------

- **Water hazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.*

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 03/16/2023

Revision Number 2

Revision Date 03/16/2023

**Trade name: CS BITU-OX 400**

(Contd. of page 6)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· **Department issuing SDS:**

Global Regulatory Department.

reg.request@hbfuller.com

· **Creation Date:** 03/16/2023

· **Contact:**

· **Date of preparation / last revision** 03/16/2023 / 1

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit